ELSEVIER

Sensors and Actuators B 44 (1997) 607–609

SENSORS AND ACTUATORS B CHEMICAL

Cumulative Author Index of Volumes B43 and B44

Abdelghani, A., **44**, 495
Adamovic, D., **44**, 365
Alause, H., **43**, 18
Alderman, J., **44**, 341, 389, 578
Amrani, M.E., **44**, 512
Appleton, B., **43**, 65
Arés, L., **43**, 193, 200
Arquint, P., **44**, 409
Arrigan, D.W., **44**, 389
Arwin, H., **43**, 168; **44**, 243
Atanasov, P., **43**, 70
Avaritsiotis, J.N., **44**, 239, 458

Baert, K., **44**, 409
Baranzahi, A., **43**, 52
Barbier, D., **44**, 316
Bârsan, N., **43**, 45; **44**, 327
Battut, V., **44**, 503
Bausells, J., **43**, 206
Berger, F., **43**, 147
Bergveld, P., **43**, 211; **44**, 297
Berkova, B., **44**, 495
Berney, H., **44**, 341, 578
Bicelli, F., **44**, 517
Binder, J., **43**, 11
Bjorklund, R., **43**, 168
Blanc, J.P., **44**, 503
Bomer, J.G., **43**, 211
Born, R., **44**, 409
Boschi, T., **44**, 521
Böttner, H., **44**, 429
Bowman, H.F., **44**, 316
Brailsford, A.D., **44**, 321
Bratov, A., **43**, 206
Bratov, A.V., **44**, 397
Braunmühl, C.B., **43**, 132
Brehmer, T.H., **44**, 595
Brosinger, F., **44**, 350
Brzózka, Z., **44**, 527
Buiu, O., **43**, 114
Buta, F., **43**, 126
Butturi, M.A., **44**, 590

Cammann, K., **43**, 40, 87; **44**, 350
Campanella, L., **44**, 279, 559
Cané, C., **44**, 483
Carlsson, C., **43**, 52
Carotta, M.C., **43**, 235; **44**, 474; **44**, 590
Casabó, J., **43**, 206
Cespuglio, R., **44**, 316
Chambaudet, A., **43**, 147
Chambon, L., **43**, 60
Chan, P.C., **43**, 161
Chemnitius, G.-C., **43**, 40, 87
Chiorino, A., **44**, 474
Chomat, M., **44**, 495
Chovelon, J.M., **44**, 495
Christov, S., **44**, 571
Ciampolini, P., **44**, 402
Cobianu, C., **43**, 114
Colalongo, L., **44**, 402
Collins, J.K., **44**, 341, 578
Corcoran, P., **44**, 413
Cretin, M., **43**, 224

D'Amico, A., **44**, 291, 423, 521
Danilenko, A.V., **44**, 542
Dascalu, D., **43**, 114
Davide, F., **44**, 291, 423, 521
Dawgul, M., **44**, 527
De, G., **44**, 462
Debeda, H., **44**, 248
Debruyker, D., **44**, 409
Déjous, C., **43**, 34
Delabie, L., **44**, 446
Delhomme, G., **44**, 316
De Loof, A., **44**, 334
Deman, P., **44**, 304
Demarne, V., **43**, 60
Depero, L.E., **44**, 268
Dermot Diamond, **44**, 389
de Rooij, N.F., **44**, 538
De Rossi, D., **43**, 180
De Schutter, F., **43**, 230
Desmond, D., **44**, 389
Diéguez, A., **44**, 268, 327
Di Natale, C., **44**, 291, 423, 521
Dittmar, A., **44**, 316
Doll, T., **43**, 132
Dondon, P., **44**, 248
Dorojkine, L.M., **44**, 488
Doroshenko, V.S., **44**, 488
Dowdeswell, R.M., **44**, 512
Dulau, L., **44**, 248
Dupuis, V., **44**, 316

Ehrfeld, W., **44**, 350
Eijkel, J.C., **44**, 297
Eine, K., **44**, 381
Eisele, I., **43**, 132
Errachid, A., **43**, 206
Eryshkin, A.V., **44**, 452
Escriche, L., **43**, 206

Fabry, P., **43**, 224; **44**, 554
Faccio, M., **44**, 521
Faglia, G., **43**, 235; **44**, 517
Favero, G., **44**, 279, 559
Felske, A., **44**, 429
Ferretti, R., **44**, 441
Ferri, G., **44**, 521
Ferroni, M., **43**, 235; **44**, 499
Fleischer, M., **43**, 1; **44**, 601
Frebel, H., **43**, 87
Freimuth, H., **44**, 350

Gagnaire, H., **44**, 495
Galdikas, A., **43**, 140, 186
Gamburzev, S., **43**, 70
García, C., **43**, 193, 200; **44**, 483
Gardner, J.W., **43**, 45
Gedig, E., **44**, 350
Germain, J.P., **43**, 60
Getino, J., **43**, 193, 200; **44**, 483
Ghindilis, A.L., **43**, 70
Ghiotti, G., **44**, 474
Gibson, T.D., **43**, 65; **44**, 413
Girardin, D., **43**, 147
Glatz, R., **44**, 365
Glavmo, M., **43**, 52
Glennon, J.D., **44**, 389
Godovski, D.Y., **44**, 452
Gondran, C., **44**, 554
Göpel, W., **43**, 24, 45; **44**, 327
Gorchkov, D.V., **43**, 99
Gorton, L., **44**, 356
Götz, A., **44**, 483
Gràcia, I., **44**, 483
Grasdepot, F., **43**, 18
Grisel, A., **43**, 60
Gubian, P., **44**, 517
Guidi, V., **43**, 235; **44**, 499
Guo, S., **44**, 243
Gurlo, A., **44**, 327
Gutiérrez, J., **43**, 193, 200; **44**, 483
Gutman, E.E., **44**, 468

Häggendal, B., **43**, 52
Haskard, M.R., **44**, 434
Hausner, M., **43**, 11
Heilig, A., **43**, 45
Heinze, J., **44**, 257
Hellmich, W., **43**, 132
Hermann, J., **43**, 18
Heron, S., **44**, 413
Hoefer, U., **44**, 429
Honoré, M., **44**, 446
Horrillo, M.C., **43**, 193, 200; **44**, 483

Elsevier Science S.A.

Horvai, G., **43**, 94
Hulbert, J.N., **44**, 413
Hüller, J., **43**, 110
Huyberechts, G., **44**, 446

Iliev, I., **43**, 70; **44**, 571
Ilyushchenko, M.A., **44**, 542
Ionescu, R., **43**, 126
Ivanovskaya, M., **44**, 327

Jaffrezic-Renault, N., **43**, 99; **44**, 316; **44**, 495
Jasutis, V., **43**, 140
Jiang, G., **43**, 161
Jobson, E., **43**, 52
Jobst, G., **44**, 365, 377

Kačiulis, S., **43**, 140, 186
Kaisheva, A., **43**, 70; **44**, 571
Kakerow, R., **43**, 87
Kamo, N., **43**, 175
Karyakin, A.A., **44**, 356
Karyakina, E.E., **44**, 356
Katerkamp, A., **44**, 350
Kazareva, R., **44**, 571
Khireddine, H., **43**, 224
Khitrova, V.L., **44**, 397
Kim, J.H., **44**, 452
Kiselev, V.F., **44**, 468
Kjelstrup, S., **44**, 381
Knap, W., **43**, 18
Koltypin, E.A., **44**, 452
Korkas, P.P., **44**, 595
Kroll, A., **43**, 165
Kruise, J., **44**, 297
Kühner, G., **44**, 429
Kühnhold, R., **44**, 262
Kullick, T., **44**, 441
Kurosawa, S., **43**, 175
Kwon, D.H., **44**, 434

Lacher, M., **44**, 350
Lacroix, M., **44**, 495
Lampe, U., **44**, 601
Lane, B., **44**, 389
Lane, W., **44**, 341, 578
Lange, T., **44**, 441
Lau, S.S., **43**, 161
Lavrenov, A.A., **44**, 488
Legin, A., **44**, 291, 423, 532
Lenaerts, S., **44**, 446
Levitchev, S.S., **44**, 397
Licciulli, A., **44**, 462
Lipskier, J.-F., **43**, 34
Lloyd Spetz, A., **43**, 52
Logothetis, E.M., **44**, 321
Lora-Tamayo, E., **44**, 483
Lowery, P., **44**, 413
Lucat, C., **44**, 248
Lukachova, L.V., **44**, 356
Lundström, I., **43**, 52; **44**, 243
Lvova, L.B., **44**, 397

Macagnano, A., **44**, 423, 521
Maes, G., **44**, 446
Maffezzoni, P., **44**, 517
Maleysson, C., **43**, 60; **44**, 503
Malyshev, V.V., **44**, 452
Malzac, J.P., **43**, 18
Manes, L., **43**, 154
Mangin, S., **44**, 316
Manno, D., **44**, 585
Marca, G., **44**, 268
Margesin, B., **44**, 402
Marshall, R.W., **44**, 413
Martelet, C., **43**, 99; **44**, 316
Mårtensson, P., **43**, 52
Martinelli, G., **43**, 235; **44**, 474; **44**, 499; **44**, 590
Martin, J.R., **44**, 507
Massok, P., **44**, 248
Mastrofini, D., **44**, 279
Matejec, V., **44**, 495
Mattogno, G., **43**, 140
Meixner, H., **43**, 1; **44**, 601
Menil, F., **44**, 248
Merli, M., **44**, 474
Mikolajick, T., **44**, 262
Minoura, N., **43**, 175
Mironas, A., **43**, 140, 186
Mitrovics, J., **43**, 24
Mokwa, W., **43**, 40, 87
Möller, D., **43**, 110
Morante, J.R., **44**, 268
Morf, W.E., **44**, 538
Moser, I., **44**, 377
Mourashov, D.A., **44**, 488
Mulcahy, D.E., **44**, 434
Müller, G., **43**, 132
Muñoz, J.A., **43**, 206

Nagy, K., **44**, 381
Nelli, P., **44**, 499
Newman, W.H., **44**, 316
Nicolas, D., **44**, 507
Nikolskaya, E.B., **44**, 566
Noetzel, G., **43**, 24
Nunziante, P., **44**, 590
Nytomt, J., **43**, 52

O'Beirn, B., **43**, 154
Olevano, V., **43**, 140
Olthuis, W., **43**, 211
Ostrick, B., **44**, 601

Paolesse, R., **44**, 521
Papadopoulos, C.A., **44**, 239, 458
Parlog, C., **43**, 114
Passeri, D., **44**, 402
Patat, F., **43**, 217
Pauly, A., **43**, 60
Payne, P.A., **44**, 512
Pecz, B., **43**, 114
Pérez-Jiménez, C., **43**, 206
Persaud, K.C., **44**, 512
Pham, M.T., **43**, 110
Pijanowska, D., **44**, 527
Pijanowska, D.G., **44**, 370
Pine, J., **43**, 105
Pistré, J., **43**, 34
Pisyakov, A.V., **44**, 452
Planade, R., **43**, 34, 147
Plotnikov, G.S., **44**, 468
Poghossian, A.A., **44**, 551
Poghossian, A.S., **44**, 361
Prinetto, F., **44**, 474
Prosser, O., **44**, 413

Quirini, A., **44**, 462

Radeva, E., **44**, 275
Ralfs, M., **44**, 257
Rebière, D., **43**, 34
Rella, R., **44**, 462, 585
Robin, P., **43**, 34
Robla, J.I., **43**, 193, 200
Rochotzki, R., **44**, 243
Roggen, J., **44**, 446
Romano-Rodriguez, A., **44**, 268
Roseingrave, P., **44**, 341
Rospert, M., **43**, 40, 87
Roussel, P., **44**, 316
Roxana Varlan, A., **44**, 309, 334
Rozanov, I.A., **44**, 488
Ruban, C., **44**, 316
Ruck-Keene, E.A., **44**, 413
Rudan, M., **44**, 402
Rudnitskaya, A., **44**, 291, 423, 532
Ryssel, H., **44**, 262

Sadaoka, Y., **44**, 590
Salomonsson, P., **43**, 52
Sangaletti, L., **44**, 268
Sansen, W., **44**, 304, 309, 334
Santos, J., **43**, 154
Savaniu, C., **43**, 114
Sayago, I., **43**, 193, 200
Sberveglieri, G., **43**, 235; **44**, 268; **44**, 499; **44**, 517
Schitthelm, F., **44**, 441
Schlereth, D.D., **43**, 78
Schmitt, N., **43**, 217
Schumann, K., **44**, 409
Schweizer-Berberich, M., **43**, 45; **44**, 327
Selezenev, B., **44**, 423
Senulienė, D., **43**, 140
Seo, H.I., **44**, 434
Serra, A., **44**, 462, 585
Serrini, P., **43**, 154
Šetkus, A., **43**, 140, 186
Shram, N.F., **44**, 316
Siciliano, P., **44**, 462, 585
Siebert, E., **44**, 554
Sin, J.K., **43**, 161
Slama, M., **44**, 286
Smirnova, A.L., **44**, 397
Soldatkin, A.P., **43**, 99
Son, Y.M., **44**, 452
Soncini, G., **44**, 402
Souteyrand, E., **44**, 507
Spener, F., **44**, 286, 350
Spiering, V., **44**, 409
Sprenkels, A.J., **43**, 211
Steiner, K., **44**, 429
Steinschaden, A., **44**, 365
Stella, R., **43**, 180
Stephen, R., **43**, 230
Stussi, E., **43**, 180
Suls, J., **44**, 304, 334
Sulz, G., **44**, 429
Sung, J.S., **44**, 452
Svasek, P., **44**, 377
Syverud, K., **44**, 381

Tai, Y.-C., **43**, 105
Tang, Z., **43**, 161
Tatic-Lucic, S., **43**, 105
Taurino, A., **44**, 585
Tawara-Kondo, E., **43**, 175
Tepore, A., **44**, 585
Tessier, L., **43**, 217
Tomassetti, M., **44**, 279, 559
Torbicz, W., **44**, 370, 527
Traversa, E., **44**, 590

Ulmer, H., **43**, 24
Urban, G., **44**, 365, 377

Valli, L., **44**, 585
Vancu, A., **43**, 126
Vandecruys, F., **43**, 230
van den Berg, A., **43**, 114
van der Schoot, B., **44**, 409
Vangrunderbeek, J., **43**, 230
Van Steenkiste, F., **44**, 409
Varahram, M., **44**, 377
Vasanelli, L., **44**, 462
Vasiliev, A.A., **44**, 452
Veelaert, D., **44**, 334
Veillas, C., **44**, 495
Verzellesi, G., **44**, 402
Vlachos, D.S., **44**, 239, 458
Vlasov, Y., **44**, 291, 423, 532
Vlasov, Y.G., **44**, 397
Voigt, H., **44**, 441
Volkov, V.V., **44**, 488

Watier, H., **43**, 217
Weber, E., **44**, 595
Weimar, U., **43**, 24, 45; **44**, 327
Wienke, D., **44**, 286
Wilkins, E., **43**, 70
Wittkampf, M., **43**, 40
Woodward, J.R., **43**, 65
Wright, J.A., **43**, 105

Yagodina, O.V., **44**, 566
Yakimov, S.S., **44**, 452
Yang, B., **43**, 235
Yeow, T.C., **44**, 434
Yussouff, M., **44**, 321

Zaborosch, C., **44**, 286
Zacheja, J., **43**, 11
Zaharescu, M., **43**, 114
Zangooie, S., **43**, 168
Zocco, A., **44**, 585

ELSEVIER

Sensors and Actuators B 44 (1997) 610–618

SENSORS AND ACTUATORS B CHEMICAL

Cumulative Subject Index of Volumes B43 and B44

Acetylcholine esterase
new enzyme potentiometric sensor for hypochlorite species detection, **43**, 99
Acousticoelectronic
thin plasma-polymerized layers of hexamethyldisiloxane for acoustoelectronic humidity sensors, **44**, 275
Acoustic sensors
thin-film piezoelectric acoustic sensors. Application to the detection of hydrocarbons, **44**, 488
Adsorption
vibronic effects as a clue to the solution of the selectivity problem of semiconductor gas sensors, **44**, 468
Allatostatins
capacitive sensor for the allatostatin direct immunoassay, **44**, 334
Amperometry
silicon thin film sensor for measurement of dissolved oxygen, **43**, 40
Analysis
a modified amperometric electrode for the determination of free radicals, **44**, 559
Anion conducting membrane
towards a solid state reference electrode, **44**, 381
Antibody immobilization
a new method based on acoustic impedance measurements for quartz immunosensors, **43**, 217
Array
a very large integrated pH-ISFET sensor array chip compatible with standard CMOS processes, **44**, 434
Autocalibration
micromachined optical tunable filter for domestic gas sensors, **43**, 18

Bacteria
detection and simultaneous identification of microorganisms from headspace samples using an electronic nose., **44**, 413
Barium stannate
preparation of stoichiometric barium stannate thin films: Hall measurements and gas sensitivities, **44**, 602
Benzene
a micromachined solid state integrated gas sensor for the detection of aromatic hydrocarbons, **44**, 483
Beverage quality control
tasting of beverages using an electronic tongue, **44**, 291
Bienzyme electrode
bifunctional hydrogen peroxide electrode as an amperometric transducer for biosensors, **43**, 70
Biochemical assay
new enzyme potentiometric sensor for hypochlorite species detection, **43**, 99
Biological liquids
a microsensor array for biochemical sensing, **44**, 409
Biosensor
a new method based on acoustic impedance measurements for quartz immunosensors, **43**, 217
new enzyme potentiometric sensor for hypochlorite species detection, **43**, 99
rapid liver enzyme assay with miniaturized liquid handling system comprising thin film biosensor array, **44**, 377
the improvement of polyaniline glucose biosensor stability using enzyme immobilization from water–organic mixtures with a high content of organic solvent, **44**, 356
Biosensor characterization
biosensor surface characterisation: confirming multilayer immobilisation, determining coverage of the biospecies and establishing detection limits, **44**, 341
Biosensors
continuous differential monitoring of the spent dialysate glucose level: clinical evaluation, **44**, 304
high temperature stabilisation of immobilised glucose oxidase: potential applications in biosensors, **43**, 65
method of fabrication of ISFET-based biosensors on an Si–SiO_2–Si structure, **44**, 361
the main factors of monoamine biosensor selectivity increasing, **44**, 566
Biospecific affinity
preparation of gold surfaces with biospecific affinity for NAD(H)-dependent lactate dehydrogenase, **43**, 78
Blood gasses
micromachined conductometric $p(CO_2)$ sensor, **44**, 309

Capacitance–voltage characteristics
determination of the pH_{pzc} of insulators surface from capacitance–voltage characteristics of MIS and EIS structures, **44**, 551
Capacitive structure
capacitive sensor for the allatostatin direct immunoassay, **44**, 334
Carbon fibers
in vivo and in vitro evaluation of specially designed gold and carbon fiber oxygen microelectrodes for living tissues, **44**, 316
Carbon monoxide
micromachined optical tunable filter for domestic gas sensors, **43**, 18
Carbon paste electrode
a modified amperometric electrode for the determination of free radicals, **44**, 559
Catalytic metals
response of metal–oxide–silicon carbide sensors to simulated and real exhaust gases, **43**, 52
Cation conducting membrane
towards a solid state reference electrode, **44**, 381
Cell biosensors
further developments in toxicity cell biosensors, **44**, 279
Ceramic membranes
NASICON structure for alkaline ion recognition, **43**, 224
Chemically modified field effect transistors (CHEMFETs)
durable NH_4^+-sensitive CHEMFET, **44**, 527

Chemical sensor
a first-principles model of the zirconia oxygen sensor, **44**, 321
gas sensor characterization through both contact potential difference and photopotential measurements, **44**, 507
in vivo and in vitro evaluation of specially designed gold and carbon fiber oxygen microelectrodes for living tissues, **44**, 316
optical fibre sensor coated with porous silica layers for gas and chemical vapour detection, **44**, 495
Chemical sensors
detection and simultaneous identification of microorganisms from headspace samples using an electronic nose., **44**, 413
surface acoustic wave detection of organophosphorus compounds with fluoropolyol coatings, **43**, 34
Chemical sensors (gas)
field-effect-induced gas sensitivity changes in metal oxides, **43**, 132
Chemisensors
vibronic effects as a clue to the solution of the selectivity problem of semiconductor gas sensors, **44**, 468
Chemometrics
multicomponent analysis on polluted waters by means of an electronic tongue, **44**, 423
Chemoresistive
diode-like SnO_2 gas detection devices, **43**, 126
Chloride doped vinyl ester resin
evaluation of miniaturised solid state reference electrodes on a silicon based component, **44**, 389
Chlorine concentrations
disposable optochemical sensor for the determination of chlorine concentrations in the ppb-range, **44**, 257
Chlorphenol vapor detection
electrochemical gas biosensor for phenol, **44**, 571
Clark-type oxygen sensor
silicon thin film sensor for measurement of dissolved oxygen, **43**, 40
Clathrate hosts
fluoroclathrands—A new type of chemical sensor materials for optical vapour detection, **44**, 596
CMOS
a very large integrated pH-ISFET sensor array chip compatible with standard CMOS processes, **44**, 434
CO
a model for the responses of Nb_2O_5 sensors to CO and NH_3 gases, **43**, 60
the effect of sintering and Pd-doping on the conversion of CO to CO_2 on SnO_2 gas sensor materials, **44**, 446
CO_2
further developments in toxicity cell biosensors, **44**, 279
the effect of sintering and Pd-doping on the conversion of CO to CO_2 on SnO_2 gas sensor materials, **44**, 446
Combustion
response of metal–oxide–silicon carbide sensors to simulated and real exhaust gases, **43**, 52
Complexes
high temperature stabilisation of immobilised glucose oxidase: potential applications in biosensors, **43**, 65
Compositional fraction determination
an intelligent gas sensing system, **44**, 512
Conducting polymers
an intelligent gas sensing system, **44**, 512
Conductometric sensor
miniaturised thin film conductometric biosensors with high dynamic range and high sensitivity, **44**, 365
Conductometry
micromachined conductometric $p(CO_2)$ sensor, **44**, 309
Contact potential difference
gas sensor characterization through both contact potential difference and photopotential measurements, **44**, 507
Corrosion electrodes
corrosion potentiometric sensors: properties, theory and origin mechanism of pseudo-Nernstian electrode response, **44**, 542
CoTMPP
bifunctional hydrogen peroxide electrode as an amperometric transducer for biosensors, **43**, 70
Cresol
electrochemical gas biosensor for phenol, **44**, 571
Cross-sensitivity
cross-sensitivity evaluation of chemical sensors for electronic tongue: determination of heavy metal ions, **44**, 532
Crystalline inclusion complexes
fluoroclathrands—A new type of chemical sensor materials for optical vapour detection, **44**, 596
Cyclic voltammetry
a modified amperometric electrode for the determination of free radicals, **44**, 559
silicon thin film sensor for measurement of dissolved oxygen, **43**, 40

Detection
development of a reliable methane detector, **44**, 248
Detection limits
biosensor surface characterisation: confirming multilayer immobilisation, determining coverage of the biospecies and establishing detection limits, **44**, 341
Diamond-like carbon
diamond-like carbon-gate pH-ISFET, **44**, 441
Differential capacitive biosensor
a differential capacitive biosensor using polyethylene glycol to overlay the biolayer, **44**, 578
Direct immunoassay
capacitive sensor for the allatostatin direct immunoassay, **44**, 334
Durable electrochemical sensors
durable NH_4^+-sensitive CHEMFET, **44**, 527
Dynamic response
performance of amperometric sensors based on multiple microelectrode arrays, **44**, 538

Electrochemical galvanic sensor
vitality protection solid-state gas sensors based on macrocyclic cobalt(III) complexes, **43**, 165
Electroconductivity
vibronic effects as a clue to the solution of the selectivity problem of semiconductor gas sensors, **44**, 468
Electrode-substrate structure
planar interdigitated electrolyte-conductivity sensors on an insulating substrate covered with Ta_2O_5, **43**, 211
Electrolyte-conductivity sensors
planar interdigitated electrolyte-conductivity sensors on an insulating substrate covered with Ta_2O_5, **43**, 211
Electrolyte–insulator–semiconductor structure
determination of the pH_{pzc} of insulators surface from capacitance–voltage characteristics of MIS and EIS structures, **44**, 551
Electronic nose
an electronic nose for food analysis, **44**, 521
detection and simultaneous identification of microorganisms from headspace samples using an electronic nose., **44**, 413
Electronic noses
odours and flavours identified with hybrid modular sensor systems, **43**, 24
Electronic tongue
multicomponent analysis on polluted waters by means of an electronic tongue, **44**, 423
tasting of beverages using an electronic tongue, **44**, 291

Ellipsometric sensitivity
ellipsometric sensitivity to halothane vapors of hexamethyldisiloxane plasma polymer films, **44**, 243
ENFET
new enzyme potentiometric sensor for hypochlorite species detection, **43**, 99
Enzymatic
continuous differential monitoring of the spent dialysate glucose level: clinical evaluation, **44**, 304
Enzyme
rapid liver enzyme assay with miniaturized liquid handling system comprising thin film biosensor array, **44**, 377
Enzyme/gas-diffusion electrode
electrochemical gas biosensor for phenol, **44**, 571
Enzyme-linked immunosorbent assay
biosensor surface characterisation: confirming multilayer immobilisation, determining coverage of the biospecies and establishing detection limits, **44**, 341
Enzyme-modified field effect transistors (EnFET)
pH-ISFET based urea biosensor, **44**, 370
Ethanol interference
a technique for suppressing ethanol interference employing Seebeck effect devices with carrier concentration modulation, **44**, 239

FEM thermal simulations
a micromachined solid state integrated gas sensor for the detection of aromatic hydrocarbons, **44**, 483
Fermi energy control
characterisation of the catalyst-semiconductor interaction mechanism in metal-oxide gas sensors, **44**, 458
FET
further developments in toxicity cell biosensors, **44**, 279
Field-effect
field-effect-induced gas sensitivity changes in metal oxides, **43**, 132
Film
peculiarities of surface doping with Cu in SnO_2 thin film gas sensors, **43**, 140
Flavours
odours and flavours identified with hybrid modular sensor systems, **43**, 24
Flow injection analysis
chemometrical studies on mixture analysis with a single dynamic microbial sensor, **44**, 286
Fluorescent signalling
fluoroclathrands—A new type of chemical sensor materials for optical vapour detection, **44**, 596
Fluoride selective electrode
towards a solid state reference electrode, **44**, 381
Food analysis
an electronic nose for food analysis, **44**, 521

Gas
theory and experiments on r.f. sputtered tin oxide thin-films for gas sensing applications, **43**, 161
Gas analysis
gas identification by modulating temperatures of SnO_2-based thick film sensors, **43**, 45
Gas biosensor
electrochemical gas biosensor for phenol, **44**, 571
Gas mixture analysis
thin-film SnO_2 sensor arrays controlled by variation of contact potential—a suitable tool for chemometric gas mixture analysis in the TLV range, **44**, 429
Gas multisensor
measurements of VOCs in soils through a tin oxide multisensor system, **43**, 193
Gas sensitive sandwiches
gas induced resistance response in ultra-thin metal films covered with non-conductive layers, **43**, 186
Gas sensitivities
preparation of stoichiometric barium stannate thin films: Hall measurements and gas sensitivities, **44**, 602
Gas sensitivity
gas sensitivity of InP epitaxial thin layers, **44**, 503
Gas sensor
gas identification by modulating temperatures of SnO_2-based thick film sensors, **43**, 45
tin oxide-based gas sensors prepared by the sol–gel process, **44**, 462
Gas sensors
an intelligent gas sensing system, **44**, 512
a thin film SnO_2 gas sensor selective to ultra-low NO_2 concentrations in air, **43**, 154
characterization of SnO_2-based gas sensors. A spectroscopic and electrical study of thick films from commercial and laboratory-prepared samples, **44**, 474
detection and simultaneous identification of microorganisms from headspace samples using an electronic nose., **44**, 413
fast gas sensors based on metal oxides which are stable at high temperatures, **43**, 1
gas-sensing properties of multilayers of two new macrocyclic copper complexes, **44**, 585
grain size control in nanocrystalline In_2O_3 semiconductor gas sensors, **44**, 327
identification and quantification of methane and ethyl alcohol in an environment at variable humidity by an hybrid array, **44**, 517
microstructural evolution of nanosized $LaFeO_3$ powders from the thermal decomposition of a cyano-complex for thick film gas sensors, **44**, 591
microstructure and morphology of tin dioxide multilayer thin film gas sensors, **44**, 268
peculiarities of surface doping with Cu in SnO_2 thin film gas sensors, **43**, 140
surface acoustic wave detection of organophosphorus compounds with fluoropolyol coatings, **43**, 34
thin-film SnO_2 sensor arrays controlled by variation of contact potential—a suitable tool for chemometric gas mixture analysis in the TLV range, **44**, 429
Glass
further developments in toxicity cell biosensors, **44**, 279
Glucose
continuous differential monitoring of the spent dialysate glucose level: clinical evaluation, **44**, 304
multianalyte sensor for the simultaneous determination of glucose, L-lactate and uric acid based on a microelectrode array, **43**, 87
the improvement of polyaniline glucose biosensor stability using enzyme immobilization from water–organic mixtures with a high content of organic solvent, **44**, 356
Glucose biosensor
bifunctional hydrogen peroxide electrode as an amperometric transducer for biosensors, **43**, 70
Glucose oxidase
high temperature stabilisation of immobilised glucose oxidase: potential applications in biosensors, **43**, 65
the improvement of polyaniline glucose biosensor stability using enzyme immobilization from water–organic mixtures with a high content of organic solvent, **44**, 356
Grain size
grain size control in nanocrystalline In_2O_3 semiconductor gas sensors, **44**, 327

Hall measurements
preparation of stoichiometric barium stannate thin films: Hall measurements and gas sensitivities, **44**, 602
Headspace
detection and simultaneous identification of microorganisms from

headspace samples using an electronic nose., **44**, 413
Hexamethyldisiloxane plasma polymer films
ellipsometric sensitivity to halothane vapors of hexamethyldisiloxane plasma polymer films, **44**, 243
High temperature gas sensors
response of metal–oxide–silicon carbide sensors to simulated and real exhaust gases, **43**, 52
High temperatures
fast gas sensors based on metal oxides which are stable at high temperatures, **43**, 1
H_2S
quantification of H_2S and NO_2 using gas sensor arrays and an artificial neural network, **43**, 235
H_2S sensor
a H_2S sensor based on Na-β-alumina as solid electrolyte and Na_2S as auxiliary electrode, **43**, 230
Hybrid
a microsensor array for biochemical sensing, **44**, 409
Hybrid sensor systems
odours and flavours identified with hybrid modular sensor systems, **43**, 24
Hydrocarbons
micromachined optical tunable filter for domestic gas sensors, **43**, 18
thin-film piezoelectric acoustic sensors. Application to the detection of hydrocarbons, **44**, 488
Hypochlorite species
new enzyme potentiometric sensor for hypochlorite species detection, **43**, 99

Immobilization
the improvement of polyaniline glucose biosensor stability using enzyme immobilization from water–organic mixtures with a high content of organic solvent, **44**, 356
Indium oxide
grain size control in nanocrystalline In_2O_3 semiconductor gas sensors, **44**, 327
Inhibitor analysis
new enzyme potentiometric sensor for hypochlorite species detection, **43**, 99
InP epitaxial thin layers
gas sensitivity of InP epitaxial thin layers, **44**, 503
Integrated optical Mach–Zehnder interferometer
a label-free affinity sensor with compensation of unspecific protein interaction by a highly sensitive integrated optical Mach–Zehnder interferometer on silicon, **44**, 350
Integration method
a microsensor array for biochemical sensing, **44**, 409
Interferents
continuous differential monitoring of the spent dialysate glucose level: clinical evaluation, **44**, 304
In vivo
in vivo and in vitro evaluation of specially designed gold and carbon fiber oxygen microelectrodes for living tissues, **44**, 316
Ion implantation
sensitization of silicon nitride surfaces for Ag^+ ions by ion implantation, **43**, 110
Ion-selective electrode
photocurable carbonate-selective membranes for chemical sensors containing lipophilic additives, **44**, 397
Ion selective electrodes
internal reference system based on poly(ethylene oxide) networks, **44**, 554
Ion-selective electrodes
the matched potential method, a generic approach to characterize the differential selectivity of chemical sensors, **43**, 94
Ion-selective field effect transistor
method of fabrication of ISFET-based biosensors on an Si–SiO_2–Si structure, **44**, 361
Ion-selective field-effect transistor
diamond-like carbon-gate pH-ISFET, **44**, 441
Ion-selective field effect transistor (ISFET)
pH-ISFET based urea biosensor, **44**, 370
Ion-sensitive electrode (ISE)
NASICON structure for alkaline ion recognition, **43**, 224
Ion-sensitive field effect transistor (ISFET)
detection of protein concentrations using a pH-step titration method, **44**, 297
Ion sensitivity
sensitization of silicon nitride surfaces for Ag^+ ions by ion implantation, **43**, 110
ISEs
perchlorate-selective MEMFETs and ISEs based on a new phosphadithiamacrocycle, **43**, 206
ISFET
a very large integrated pH-ISFET sensor array chip compatible with standard CMOS processes, **44**, 434
numerical analysis of ISFET and LAPS devices, **44**, 402
ISFET-comparator
a very large integrated pH-ISFET sensor array chip compatible with standard CMOS processes, **44**, 434

Kinetical interpretation method
disposable optochemical sensor for the determination of chlorine concentrations in the ppb-range, **44**, 257

Lactate dehydrogenase
preparation of gold surfaces with biospecific affinity for NAD(H)-dependent lactate dehydrogenase, **43**, 78
$LaFeO_3$
microstructural evolution of nanosized $LaFeO_3$ powders from the thermal decomposition of a cyano-complex for thick film gas sensors, **44**, 591
LAPS
numerical analysis of ISFET and LAPS devices, **44**, 402
Lipophilic additives
photocurable carbonate-selective membranes for chemical sensors containing lipophilic additives, **44**, 397
Liquid handling system
rapid liver enzyme assay with miniaturized liquid handling system comprising thin film biosensor array, **44**, 377
Liquid media chemical sensors
cross-sensitivity evaluation of chemical sensors for electronic tongue: determination of heavy metal ions, **44**, 532
Lithium
NASICON structure for alkaline ion recognition, **43**, 224
Liver
rapid liver enzyme assay with miniaturized liquid handling system comprising thin film biosensor array, **44**, 377
L-lactate
multianalyte sensor for the simultaneous determination of glucose, L-lactate and uric acid based on a microelectrode array, **43**, 87

Macrocyclic cobalt(III) complexes
vitality protection solid-state gas sensors based on macrocyclic cobalt(III) complexes, **43**, 165
Matched potential
the matched potential method, a generic approach to characterize the differential selectivity of chemical sensors, **43**, 94
Membrane
photocurable carbonate-selective membranes for chemical sensors containing lipophilic additives, **44**, 397

MEMFETs
perchlorate-selective MEMFETs and ISEs based on a new phosphadithiamacrocycle, **43**, 206
Metallic oxide sensors
a model for the responses of Nb_2O_5 sensors to CO and NH_3 gases, **43**, 60
Metallo-porphyrins
an electronic nose for food analysis, **44**, 521
Metal organic CVD
the pH-sensing properties of tantalum pentoxide films fabricated by metal organic low pressure chemical vapor deposition, **44**, 262
Metal-oxide gas sensors
characterisation of the catalyst-semiconductor interaction mechanism in metal-oxide gas sensors, **44**, 458
Metal oxides
field-effect-induced gas sensitivity changes in metal oxides, **43**, 132
Methane
development of a reliable methane detector, **44**, 248
Methane sensing
characterization of SnO_2-based gas sensors. A spectroscopic and electrical study of thick films from commercial and laboratory-prepared samples, **44**, 474
Microbial sensor
chemometrical studies on mixture analysis with a single dynamic microbial sensor, **44**, 286
Microelectrode array
multianalyte sensor for the simultaneous determination of glucose, L-lactate and uric acid based on a microelectrode array, **43**, 87
performance of amperometric sensors based on multiple microelectrode arrays, **44**, 538
Micromachined
a micromachined solid state integrated gas sensor for the detection of aromatic hydrocarbons, **44**, 483
Micromachining
micromachined conductometric $p(CO_2)$ sensor, **44**, 309
Microsensor
in vivo and in vitro evaluation of specially designed gold and carbon fiber oxygen microelectrodes for living tissues, **44**, 316
Microsensor array
a microsensor array for biochemical sensing, **44**, 409
Microstructure
microstructure and morphology of tin dioxide multilayer thin film gas sensors, **44**, 268
Miniaturised reference electrode
evaluation of miniaturised solid state reference electrodes on a silicon based component, **44**, 389
Miniaturized
rapid liver enzyme assay with miniaturized liquid handling system comprising thin film biosensor array, **44**, 377
MIS capacitors
response of metal–oxide–silicon carbide sensors to simulated and real exhaust gases, **43**, 52
Monoamines
the main factors of monoamine biosensor selectivity increasing, **44**, 566
Morphology
microstructure and morphology of tin dioxide multilayer thin film gas sensors, **44**, 268
MOS
a technique for suppressing ethanol interference employing Seebeck effect devices with carrier concentration modulation, **44**, 239
Multianalyte sensor
multianalyte sensor for the simultaneous determination of glucose, L-lactate and uric acid based on a microelectrode array, **43**, 87
Multicomponent analysis
chemometrical studies on mixture analysis with a single dynamic microbial sensor, **44**, 286
multicomponent analysis on polluted waters by means of an electronic tongue, **44**, 423
Multi-frequency a.c. measurements
an intelligent gas sensing system, **44**, 512
Multilayer
microstructure and morphology of tin dioxide multilayer thin film gas sensors, **44**, 268
Multilayer perceptron
quantification of H_2S and NO_2 using gas sensor arrays and an artificial neural network, **43**, 235
Multisensor arrays
cross-sensitivity evaluation of chemical sensors for electronic tongue: determination of heavy metal ions, **44**, 532
Multispecies adsorption model
a thin film SnO_2 gas sensor selective to ultra-low NO_2 concentrations in air, **43**, 154

Na-β-alumina
a H_2S sensor based on Na-β-alumina as solid electrolyte and Na_2S as auxiliary electrode, **43**, 230
Nanocrystallites
grain size control in nanocrystalline In_2O_3 semiconductor gas sensors, **44**, 327
Nanosized
microstructural evolution of nanosized $LaFeO_3$ powders from the thermal decomposition of a cyano-complex for thick film gas sensors, **44**, 591
Na_2S
a H_2S sensor based on Na-β-alumina as solid electrolyte and Na_2S as auxiliary electrode, **43**, 230
NASICON type ceramics
internal reference system based on poly(ethylene oxide) networks, **44**, 554
Na superionic conductor (NASICON)
NASICON structure for alkaline ion recognition, **43**, 224
Nb_2O_5 sensors
a model for the responses of Nb_2O_5 sensors to CO and NH_3 gases, **43**, 60
Neural network
identification and quantification of methane and ethyl alcohol in an environment at variable humidity by an hybrid array, **44**, 517
Neuron wells
silicon cultured-neuron prosthetic devices for in vivo and in vitro studies, **43**, 105
NH_3
a model for the responses of Nb_2O_5 sensors to CO and NH_3 gases, **43**, 60
Nitrogen dioxide
a thin film SnO_2 gas sensor selective to ultra-low NO_2 concentrations in air, **43**, 154
grain size control in nanocrystalline In_2O_3 semiconductor gas sensors, **44**, 327
NO_2
gas-sensing applications of W–Ti–O-based nanosized thin films prepared by r.f. reactive sputtering, **44**, 499
quantification of H_2S and NO_2 using gas sensor arrays and an artificial neural network, **43**, 235

Non-platinum electrocatalyst
bifunctional hydrogen peroxide electrode as an amperometric transducer for biosensors, **43**, 70
Numerical analysis
numerical analysis of ISFET and LAPS devices, **44**, 402

O_2
further developments in toxicity cell biosensors, **44**, 279
Odours
odours and flavours identified with hybrid modular sensor systems, **43**, 24
Optical fibre
optical fibre sensor coated with porous silica layers for gas and chemical vapour detection, **44**, 495
Optical sensors
vapor sensitivity of thin porous silicon layers, **43**, 168
Optochemical sensor
disposable optochemical sensor for the determination of chlorine concentrations in the ppb-range, **44**, 257
Organophosphorus compounds
surface acoustic wave detection of organophosphorus compounds with fluoropolyol coatings, **43**, 34
Oxidizing gases
multi-electrode substrate for selectivity enhancement in air monitoring, **43**, 11
Oxygen microelectrodes
in vivo and in vitro evaluation of specially designed gold and carbon fiber oxygen microelectrodes for living tissues, **44**, 316
Oxygen sensor
a first-principles model of the zirconia oxygen sensor, **44**, 321

Partial least-squares
chemometrical studies on mixture analysis with a single dynamic microbial sensor, **44**, 286
Pattern recognition
analysis of VOCs with a tin oxide sensor array, **43**, 200
Pd doping
the effect of sintering and Pd-doping on the conversion of CO to CO_2 on SnO_2 gas sensor materials, **44**, 446
Pellistors
development of a reliable methane detector, **44**, 248
Perchlorate-selective
perchlorate-selective MEMFETs and ISEs based on a new phosphadithiamacrocycle, **43**, 206
Phenol
electrochemical gas biosensor for phenol, **44**, 571
Phosphadithiamacrocycle
perchlorate-selective MEMFETs and ISEs based on a new phosphadithiamacrocycle, **43**, 206
Photocurable
photocurable carbonate-selective membranes for chemical sensors containing lipophilic additives, **44**, 397
Photopotential
gas sensor characterization through both contact potential difference and photopotential measurements, **44**, 507
pH_{pzc}
determination of the pH_{pzc} of insulators surface from capacitance–voltage characteristics of MIS and EIS structures, **44**, 551
pH-sensing properties
the pH-sensing properties of tantalum pentoxide films fabricated by metal organic low pressure chemical vapor deposition, **44**, 262
pH-step titration
detection of protein concentrations using a pH-step titration method, **44**, 297
Phthalocyanine
gas-sensing properties of multilayers of two new macrocyclic copper complexes, **44**, 585
Phthalocyanine derivatives
detection of polycyclic compounds as mutagens using piezoelectric quartz crystal coated with plasma-polymerized phthalocyanine derivatives, **43**, 175
Physico-chemical interaction
a model for the responses of Nb_2O_5 sensors to CO and NH_3 gases, **43**, 60
Piezoelectric
thin-film piezoelectric acoustic sensors. Application to the detection of hydrocarbons, **44**, 488
Piezoelectric quartz crystal
detection of polycyclic compounds as mutagens using piezoelectric quartz crystal coated with plasma-polymerized phthalocyanine derivatives, **43**, 175
Plasma-polymerized
thin plasma-polymerized layers of hexamethyldisiloxane for acoustoelectronic humidity sensors, **44**, 275
Polarisation
diode-like SnO_2 gas detection devices, **43**, 126
Polarography
in vivo and in vitro evaluation of specially designed gold and carbon fiber oxygen microelectrodes for living tissues, **44**, 316
Polyaniline
the improvement of polyaniline glucose biosensor stability using enzyme immobilization from water–organic mixtures with a high content of organic solvent, **44**, 356
Polycyclic compounds
detection of polycyclic compounds as mutagens using piezoelectric quartz crystal coated with plasma-polymerized phthalocyanine derivatives, **43**, 175
Polyelectrolyte
high temperature stabilisation of immobilised glucose oxidase: potential applications in biosensors, **43**, 65
Polyethylene glycol
a differential capacitive biosensor using polyethylene glycol to overlay the biolayer, **44**, 578
Poly(ethylene oxide) networks
internal reference system based on poly(ethylene oxide) networks, **44**, 554
Polymer-based odour sensors
chemoresistive conducting polymer-based odour sensors: influence of thickness changes on their sensing properties, **43**, 180
Polymer NH_4^+-sensitive membranes
durable NH_4^+-sensitive CHEMFET, **44**, 527
Polymer thickness
chemoresistive conducting polymer-based odour sensors: influence of thickness changes on their sensing properties, **43**, 180
Porous silica layers
optical fibre sensor coated with porous silica layers for gas and chemical vapour detection, **44**, 495
Porous silicon
tin dioxide sol–gel derived thin films deposited on porous silicon, **43**, 114
Porous silicon layers
vapor sensitivity of thin porous silicon layers, **43**, 168
Potentiometric sensors
corrosion potentiometric sensors: properties, theory and origin mechanism of pseudo-Nernstian electrode response, **44**, 542
Potentiometry
photocurable carbonate-selective membranes for chemical sensors containing lipophilic additives, **44**, 397

Potentiostat
continuous differential monitoring of the spent dialysate glucose level: clinical evaluation, **44**, 304
Power consumption
propane/butane semiconductor gas sensor with low power consumption, **44**, 452
Principal component regression algorithms
thin-film SnO_2 sensor arrays controlled by variation of contact potential—a suitable tool for chemometric gas mixture analysis in the TLV range, **44**, 429
Protein
detection of protein concentrations using a pH-step titration method, **44**, 297
high temperature stabilisation of immobilised glucose oxidase: potential applications in biosensors, **43**, 65
Pseudo-Nernstian electrode response
corrosion potentiometric sensors: properties, theory and origin mechanism of pseudo-Nernstian electrode response, **44**, 542

Qualitative analysis of liquids
tasting of beverages using an electronic tongue, **44**, 291
Quartz microbalance
a new method based on acoustic impedance measurements for quartz immunosensors, **43**, 217
Quartz microbalances
an electronic nose for food analysis, **44**, 521

Rat liver
in vivo and in vitro evaluation of specially designed gold and carbon fiber oxygen microelectrodes for living tissues, **44**, 316
Real exhaust gases
response of metal–oxide–silicon carbide sensors to simulated and real exhaust gases, **43**, 52
Refractive index
ellipsometric sensitivity to halothane vapors of hexamethyldisiloxane plasma polymer films, **44**, 243
Resistance
gas sensitivity of InP epitaxial thin layers, **44**, 503
Resonator sensors
thin plasma-polymerized layers of hexamethyldisiloxane for acoustoelectronic humidity sensors, **44**, 275
r.f. reactive sputtering
gas-sensing applications of W–Ti–O-based nanosized thin films prepared by r.f. reactive sputtering, **44**, 499

Screen printing
evaluation of miniaturised solid state reference electrodes on a silicon based component, **44**, 389
Seebeck
a technique for suppressing ethanol interference employing Seebeck effect devices with carrier concentration modulation, **44**, 239
Selectivity
gas induced resistance response in ultra-thin metal films covered with non-conductive layers, **43**, 186
NASICON structure for alkaline ion recognition, **43**, 224
the main factors of monoamine biosensor selectivity increasing, **44**, 566
the matched potential method, a generic approach to characterize the differential selectivity of chemical sensors, **43**, 94
Selectivity control
field-effect-induced gas sensitivity changes in metal oxides, **43**, 132
Selectivity enhancement
multi-electrode substrate for selectivity enhancement in air monitoring, **43**, 11
Self-assembled monolayers
preparation of gold surfaces with biospecific affinity for NAD(H)-dependent lactate dehydrogenase, **43**, 78
Semiconductor
development of a reliable methane detector, **44**, 248
propane/butane semiconductor gas sensor with low power consumption, **44**, 452
Semiconductor metal oxides
fast gas sensors based on metal oxides which are stable at high temperatures, **43**, 1
Semiconductors
modelling of SO_2 detection by tin dioxide gas sensors, **43**, 147
Sensor
a label-free affinity sensor with compensation of unspecific protein interaction by a highly sensitive integrated optical Mach–Zehnder interferometer on silicon, **44**, 350
photocurable carbonate-selective membranes for chemical sensors containing lipophilic additives, **44**, 397
propane/butane semiconductor gas sensor with low power consumption, **44**, 452
Sensor array
identification and quantification of methane and ethyl alcohol in an environment at variable humidity by an hybrid array, **44**, 517
Sensor arrays
analysis of VOCs with a tin oxide sensor array, **43**, 200
field-effect-induced gas sensitivity changes in metal oxides, **43**, 132
Signal-to-noise ratio
silicon cultured-neuron prosthetic devices for in vivo and in vitro studies, **43**, 105
Silicon
a label-free affinity sensor with compensation of unspecific protein interaction by a highly sensitive integrated optical Mach–Zehnder interferometer on silicon, **44**, 350
Silicon carbide sensor
response of metal–oxide–silicon carbide sensors to simulated and real exhaust gases, **43**, 52
Silicon-insulator-silicon structure
method of fabrication of ISFET-based biosensors on an Si–SiO_2–Si structure, **44**, 361
Silicon-micromachined structures
silicon cultured-neuron prosthetic devices for in vivo and in vitro studies, **43**, 105
Silicon nitride
sensitization of silicon nitride surfaces for Ag^+ ions by ion implantation, **43**, 110
Silver/silver chloride
evaluation of miniaturised solid state reference electrodes on a silicon based component, **44**, 389
Simulated exhaust gases
response of metal–oxide–silicon carbide sensors to simulated and real exhaust gases, **43**, 52
Sintering
the effect of sintering and Pd-doping on the conversion of CO to CO_2 on SnO_2 gas sensor materials, **44**, 446
SnO_2
gas identification by modulating temperatures of SnO_2-based thick film sensors, **43**, 45
SnO_2 films
characterization of SnO_2-based gas sensors. A spectroscopic and electrical study of thick films from commercial and laboratory-prepared samples, **44**, 474
SnO_2 gas sensor
the effect of sintering and Pd-doping on the conversion of CO to CO_2 on SnO_2 gas sensor materials, **44**, 446

SnO_2 gas sensors
diode-like SnO_2 gas detection devices, **43**, 126
SO_2 detection
modelling of SO_2 detection by tin dioxide gas sensors, **43**, 147
Sodium
NASICON structure for alkaline ion recognition, **43**, 224
Sol–gel
grain size control in nanocrystalline In_2O_3 semiconductor gas sensors, **44**, 327
optical fibre sensor coated with porous silica layers for gas and chemical vapour detection, **44**, 495
tin dioxide sol–gel derived thin films deposited on porous silicon, **43**, 114
tin oxide-based gas sensors prepared by the sol–gel process, **44**, 462
Solid state
evaluation of miniaturised solid state reference electrodes on a silicon based component, **44**, 389
Solid-state electrolyte
vitality protection solid-state gas sensors based on macrocyclic cobalt(III) complexes, **43**, 165
Solid state reference electrode
towards a solid state reference electrode, **44**, 381
Solid-state sensor
a H_2S sensor based on Na-β-alumina as solid electrolyte and Na_2S as auxiliary electrode, **43**, 230
Spectroscopic ellipsometry
vapor sensitivity of thin porous silicon layers, **43**, 168
Spillover
characterisation of the catalyst-semiconductor interaction mechanism in metal-oxide gas sensors, **44**, 458
Stability
high temperature stabilisation of immobilised glucose oxidase: potential applications in biosensors, **43**, 65
the improvement of polyaniline glucose biosensor stability using enzyme immobilization from water–organic mixtures with a high content of organic solvent, **44**, 356
Steady-state current
performance of amperometric sensors based on multiple microelectrode arrays, **44**, 538
Superoxide radical
a modified amperometric electrode for the determination of free radicals, **44**, 559
Surface acoustic waves
surface acoustic wave detection of organophosphorus compounds with fluoropolyol coatings, **43**, 34

Tantalum pentoxide films
the pH-sensing properties of tantalum pentoxide films fabricated by metal organic low pressure chemical vapor deposition, **44**, 262
Ta_2O_5
planar interdigitated electrolyte-conductivity sensors on an insulating substrate covered with Ta_2O_5, **43**, 211
Temperature mode
gas identification by modulating temperatures of SnO_2-based thick film sensors, **43**, 45
Thick film
microstructural evolution of nanosized $LaFeO_3$ powders from the thermal decomposition of a cyano-complex for thick film gas sensors, **44**, 591
Thin-film
thin-film piezoelectric acoustic sensors. Application to the detection of hydrocarbons, **44**, 488
Thin film
microstructure and morphology of tin dioxide multilayer thin film gas sensors, **44**, 268
rapid liver enzyme assay with miniaturized liquid handling system comprising thin film biosensor array, **44**, 377
Thin films
diamond-like carbon-gate pH-ISFET, **44**, 441
gas-sensing applications of W–Ti–O-based nanosized thin films prepared by r.f. reactive sputtering, **44**, 499
gas-sensing properties of multilayers of two new macrocyclic copper complexes, **44**, 585
Thin-films
theory and experiments on r.f. sputtered tin oxide thin-films for gas sensing applications, **43**, 161
Threshold conversion
a very large integrated pH-ISFET sensor array chip compatible with standard CMOS processes, **44**, 434
Tin dioxide
microstructure and morphology of tin dioxide multilayer thin film gas sensors, **44**, 268
tin dioxide sol–gel derived thin films deposited on porous silicon, **43**, 114
Tin dioxide gas sensors
modelling of SO_2 detection by tin dioxide gas sensors, **43**, 147
Tin oxide
measurements of VOCs in soils through a tin oxide multisensor system, **43**, 193
peculiarities of surface doping with Cu in SnO_2 thin film gas sensors, **43**, 140
theory and experiments on r.f. sputtered tin oxide thin-films for gas sensing applications, **43**, 161
tin oxide-based gas sensors prepared by the sol–gel process, **44**, 462
Tin oxide compounds
identification and quantification of methane and ethyl alcohol in an environment at variable humidity by an hybrid array, **44**, 517
Toluene
a micromachined solid state integrated gas sensor for the detection of aromatic hydrocarbons, **44**, 483
Toxicity
further developments in toxicity cell biosensors, **44**, 279
Transducers
further developments in toxicity cell biosensors, **44**, 279
Transferrin
a differential capacitive biosensor using polyethylene glycol to overlay the biolayer, **44**, 578
Transverse electric field
multi-electrode substrate for selectivity enhancement in air monitoring, **43**, 11
Triazine dyes
preparation of gold surfaces with biospecific affinity for NAD(H)-dependent lactate dehydrogenase, **43**, 78
Tunable optical filter
micromachined optical tunable filter for domestic gas sensors, **43**, 18

Ultra-thin metal
gas induced resistance response in ultra-thin metal films covered with non-conductive layers, **43**, 186
Urea biosensor
pH-ISFET based urea biosensor, **44**, 370
Urease
pH-ISFET based urea biosensor, **44**, 370
Urea sensor
miniaturised thin film conductometric biosensors with high dynamic range and high sensitivity, **44**, 365
Uric acid
multianalyte sensor for the simultaneous determination of glu-

cose, L-lactate and uric acid based on a microelectrode array, **43**, 87
Vapor sensitive layer
fluoroclathrands—A new type of chemical sensor materials for optical vapour detection, **44**, 596
Vapour phase polymerization
chemoresistive conducting polymer-based odour sensors: influence of thickness changes on their sensing properties, **43**, 180
Vapour sensitivity
vapor sensitivity of thin porous silicon layers, **43**, 168
Volatile organic compounds
analysis of VOCs with a tin oxide sensor array, **43**, 200
measurements of VOCs in soils through a tin oxide multisensor system, **43**, 193

WO_3
gas-sensing applications of W–Ti–O-based nanosized thin films prepared by r.f. reactive sputtering, **44**, 499

Yeasts
detection and simultaneous identification of microorganisms from headspace samples using an electronic nose., **44**, 413

Zirconia sensor
a first-principles model of the zirconia oxygen sensor, **44**, 321